

ایزوشیف۔سی



COMPOSITION:

Each 100 ml Contains:

Enrofloxacin.....10 gm

Colistin Sulphate.....50,000,000 IU

(Product Complies to in house specifications)

DESCRIPTION:

Enrofloxacin is a Synthetic Chemotherapeutic Antibiotic of Fluoroquinolone group and has broad spectrum activity against Gram Positive Bacteria, Gram Negative Bacteria & Mycoplasma. Colistin belongs to Polymyxin group and has excellent effect on Gram Negative Bacteria. Due to synergism of these drugs ENRO SHEPH-C used to be a good antibacterial drug and effective against Gram Positive Bacteria, Gram Negative Bacteria & Mycoplasma.

INDICATIONS:

Treatment against CRD, Colibacillosis, Fowl Cholera, Fowl Coryza, Typhoid and other diseases caused by bacteria sensitive to Enrofloxacin and Colistin.

DOSAGE:

Treatment: 1 ml/2 Liter of Drinking Water for 3-5 days.

Prevention: 1ml/4 Liter of Drinking Water for 3-5 days.

PRECAUTION:

Shake Well Befor Use.

Store in Cool and Dry Place away from Sunlight.

Keep out of Reach of Children.

Use as per Veterinary Doctor's prescription.

اجزائے ترکیبی:

ہر 100 ملی لیٹر میں شامل ہے۔

ایزوفلاکساسین 10 گرام

کولسٹین سلفیٹ 50,000,000 آئی یو

خصوصیات: ایزوشیف۔سی دو وسیع الاثر ادویات کا مرکب ہے اس میں ایزوفلاکساسین اور کولسٹین شامل ہیں۔

جس کی وجہ سے یہ گرام پازیٹیو بیکٹریا، گرام نیگیٹیو بیکٹریا اور مائیکوپلازما کے خلاف بہت موثر ہے۔

علامات: سی آر ڈی، کولی بیسی لوسس، فاؤل کالرا، فاؤل کورائزہ، ٹائیفائیڈ اور دوسری جملہ بیماریوں کے خلاف بہت زود اثر ہے جو ایسے

بیکٹریا سے ہوتی ہیں جو کہ ایزوفلاکساسین اور کولسٹین سے حساسیت رکھتے ہیں۔

خوراک:

بیماری کی حالت میں مرغیوں کے لئے:

1 ملی لیٹر 2 لیٹر پینے کے پانی میں 3-5 دن تک پلائیں۔

حفاظتی طور پر مرغیوں کے لئے:

1 ملی لیٹر 4 لیٹر پینے کے پانی میں 3-5 دن تک پلائیں۔

احتیاطی تدابیر:

دوائی کے استعمال کے کم از کم 10 دن بعد جانور کا گوشت استعمال کریں۔

ٹیڑاسائیکلین، کلورم فینیکول اور ارتھرومائیسین گروپ کی ادویات کے ساتھ ہرگز استعمال نہ کریں۔

ٹھنڈی خشک اور سایہ دار جگہ پر 25 ڈگری سینٹی گریڈ تک رکھیں۔

دوا کو بچوں کی پہنچ سے دور رکھیں۔

دوا کو روشنی سے محفوظ اور خشک اور ٹھنڈی جگہ پر رکھیں۔

مستند ویٹرنری ڈاکٹر کی ہدایات کے مطابق استعمال کریں

